

PRODUCT INFORMATION

- Elegance look, profound technical, precise dimension, with modern taste, add value to your projects
- Easy to fix concentrated distribution unit into frame
- Install caster and support feet at the same time
- Strong structure with 1760 lb (800 kg) max loading
- Wire path in the top and bottom can be closed, and wire holes dimension can be changed as request
- Bottom seat for stable stand, bottom wiring, bottom cold ventilation and prevent rats
- Cabinet for telecommunication systems
- Side door and rear/front door can be taken down easily
- Backdoor made by steel







PRODUCT CHARACTERISTIC

- Static loading 1760 lb (800 kg)
- Width 24" (600mm), 32" (800mm)
- Depth 24" (600mm), 32" (800mm), 38" (960mm), 39" (1000mm)
- Grove cover can be install and uninstall quickly and easily to maintain
- 19" can be updated to 23", 25", 27" (as demand)
- Sliding shelf
- Fixed shelf

Material: SPCC quality cold rolled steel


Thickness: Square hole strips 0.08" (2mm), others 0.05" (1.2mm)

Surface finish: Degrease, acid pickling, rust prevention and parkerizing pure water cleaning, static electricity plastic painting

<p>SCALE PROFILE</p> 	<p>SPRING LOCK</p> 
<p>SLIDING SHELF</p> 	<p>FIXED SHELF</p> 
<p>VERTICAL METAL MANAGEMENT</p> 	<p>VENTILATION UNIT</p> 
<p>CASTER AND FEET</p> 	

Standard

Comply with ANSI/EIA RS-310-D, IEC2972, DIN41491; PART 1; DIN41494; PART7, GB/T3047.2-92 Standard; Compatible with 19" international standard and metrical standard & ETSI standard



ORDER INFORMATION

Order Number	Width x Depth x Height	Capacity	SIZE	CBM	Order Number	Width x Depth x Height	Capacity	SIZE	CBM
VA186060988	(600x600x988)mm (24x24x39)inch	18U	(670x670x1028)mm (26x26x41)inch	0.4615	VA426060206	(600x600x2055)mm (24x24x81)inch	42U	(670x670x2085)mm (26x26x82)inch	0.9360
VA186080988	(600x800x988)mm (24x32x39)inch	18U	(670x870x1028)mm (26x34x41)inch	0.5992	VA426080206	(600x800x2055)mm (24x32x81)inch	42U	(670x870x2085)mm (26x34x82)inch	1.2153
VA186090988	(600x900x988)mm (24x35x39)inch	18U	(670x970x1028)mm (26x38x41)inch	0.6681	VA426090206	(600x900x2055)mm (24x35x81)inch	42U	(670x970x2085)mm (26x38x82)inch	1.3550
VA186096988	(600x960x988)mm (24x38x39)inch	18U	(670x1030x1028)mm (26x41x41)inch	0.7094	VA426096206	(600x960x2055)mm (24x38x81)inch	42U	(670x1030x2085)mm (26x41x82)inch	1.4389
VA226060117	(600x600x1166)mm (24x24x46)inch	22U	(670x670x1196)mm (26x26x47)inch	0.5369	VA426010206	(600x1000x2055)mm (24x39x81)inch	42U	(670x1070x2085)mm (26x42x82)inch	1.4732
VA226080117	(600x800x1166)mm (24x32x46)inch	22U	(670x870x1196)mm (26x34x47)inch	0.6971	VA428060206	(800x600x2055)mm (32x24x81)inch	42U	(870x670x2085)mm (34x26x82)inch	1.2513
VA226090117	(600x900x1166)mm (24x35x46)inch	22U	(670x970x1196)mm (26x38x47)inch	0.7774	VA428080206	(800x800x2055)mm (32x32x81)inch	42U	(870x870x2085)mm (34x34x82)inch	1.5781
VA226096117	(600x960x1166)mm (24x38x46)inch	22U	(670x1030x1196)mm (26x41x47)inch	0.8254	VA428090206	(800x900x2055)mm (32x35x81)inch	42U	(870x970x2085)mm (34x38x82)inch	1.7595
VA276060139	(600x600x1388)mm (24x24x55)inch	27U	(670x670x1418)mm (26x26x56)inch	0.6460	VA428096206	(800x960x2055)mm (32x38x81)inch	42U	(870x1030x2085)mm (34x41x82)inch	1.8684
VA276080139	(600x800x1388)mm (24x32x55)inch	27U	(670x870x1418)mm (26x34x56)inch	0.8266	VA428010206	(800x1000x2055)mm (32x39x81)inch	42U	(870x1070x2085)mm (34x42x82)inch	1.9130
VA276090139	(600x900x1388)mm (24x35x55)inch	27U	(670x970x1418)mm (26x38x56)inch	0.9216	VA456091221	(600x916x2208)mm (24x36x87)inch	45U	(670x986x2238)mm (27x39x88)inch	1.5012
VA276096139	(600x960x1388)mm (24x38x55)inch	27U	(670x1030x1418)mm (26x41x56)inch	0.9786	VA456010221	(600x1067x2208)mm (24x42x87)inch	45U	(670x1137x2238)mm (27x45x88)inch	1.6273
VA326060161	(600x600x1610)mm (24x24x63)inch	32U	(670x670x1640)mm (26x26x65)inch	0.7362	VA476060228	(600x600x2277)mm (24x24x90)inch	47U	(670x670x2307)mm (26x26x91)inch	1.0356
VA326080161	(600x800x1610)mm (24x32x63)inch	32U	(670x870x1640)mm (26x34x65)inch	0.9560	VA476080228	(600x800x2277)mm (24x32x90)inch	47U	(670x870x2307)mm (26x34x91)inch	1.3448
VA326090161	(600x900x1610)mm (24x35x63)inch	32U	(670x970x1640)mm (26x38x65)inch	1.0658	VA476090228	(600x900x2277)mm (24x35x90)inch	47U	(670x970x2307)mm (26x38x91)inch	1.4993
VA326096161	(600x960x1610)mm (24x38x63)inch	32U	(670x1030x1640)mm (26x41x65)inch	1.1318	VA476096228	(600x960x2277)mm (24x38x90)inch	47U	(670x1030x2307)mm (26x41x91)inch	1.5921
VA326010161	(600x1000x1610)mm (24x39.4x63)inch	32U	(670x1070x1640)mm (26x42x65)inch	1.1757	VA476010228	(600x1000x2277)mm (24x39x90)inch	47U	(670x1070x2307)mm (26x42x91)inch	1.6539
VA376060183	(600x600x1833)mm (24x24x72)inch	37U	(670x670x1683)mm (26x26x66)inch	0.8363	VA478060228	(800x600x2277)mm (32x24x90)inch	47U	(870x670x2307)mm (34x26x91)inch	1.3448
VA376080183	(600x800x1833)mm (24x32x72)inch	37U	(670x870x1683)mm (26x34x66)inch	1.0859	VA478080228	(800x800x2277)mm (32x32x90)inch	47U	(870x870x2307)mm (34x34x91)inch	1.7462
VA376090183	(600x900x1833)mm (24x35x72)inch	37U	(670x970x1683)mm (26x38x66)inch	1.2108	VA478090228	(800x900x2277)mm (32x35x90)inch	47U	(870x970x2307)mm (34x38x91)inch	1.9469
VA376096183	(600x960x1833)mm (24x38x72)inch	37U	(670x1030x1683)mm (26x41x66)inch	1.2857	VA478096228	(800x960x2277)mm (32x38x90)inch	47U	(870x1030x2307)mm (34x41x91)inch	2.0673
VA376010183	(600x1000x1833)mm (24x39x72)inch	37U	(670x1070x1683)mm (26x42x66)inch	1.3141	VA478010228	(800x1000x2277)mm (32x39x90)inch	47U	(870x1070x2307)mm (34x42x91)inch	2.1476